

LITERATURE CITED

- ABAG. 1997. Projections 1998. Association of Bay Area Governments, San Francisco, CA.
- Agency for Toxic Substances and Disease Registry. 1994. Treasure Island Naval Station Hunters Point Annex San Francisco, San Francisco County, California. U.S. Dept. Health & Human Services. CERCLIS No. CA1170090087.
- Ainley, D.G. 1980. Birds as marine organisms. CalCOFI Rpt. 21:48-53.
- Ainley, D.G. and R.J. Bockelheide. 1990. Seabirds of the Farallon: Ecology, Dynamics, and Structure of an Upwelling Community. Stanford Univ. Press, Palo Alto.
- Ainley, D.G. and G.L. Hunt. 1991. Status and Conservation of Seabirds in California. 103-114. In: J.P. Croxall (ed) Seabird Status and Conservation: A Supplement. Int. Coun. of Bird Pres. Tech Pub. No. 11.
- Ainley, D.G., W.J. Sydman, S. A. Hatch, and U. W. Wilson. 1994. Seabird population trends along the west coast of North America: Causes and the extent of regional concordance. Studies in Avian Biology. 15:119-133.
- Aioi, K., H. Mukai, I. Koike, M. Ohtsu, and A Hattori. 1981. Growth and organic production of eelgrass (*Zostera marina L.*) in temperate waters of the Pacific coast of Japan. II. Growth analysis in winter. Aquat. Bot. 10:175-182.
- Alderdice, D.F. and A.S. Hourston. 1985. Factors influencing development and survival of Pacific herring (*Clupea harengus pallasi*) eggs and larvae to beginning of exogenous feeding. Can. J. Fish. Aquat. Sci. 42 (Suppl 1):56-68.
- Alderdice, D.F. and F.P.J. Velsen. 1971. Some effects of salinity and temperature on early development of Pacific herring (*Clupea pallasi*). J. Fish. Res. Bd. Can. 28:1545-1562.
- Alpine, A.E. and J. E. Cloern. 1992. Trophic interactions and direct physical effects control phytoplankton biomass and production in an estuary. Limnol. and Oceanogr. 37(5):946- 955.
- Aneer, G. 1987. High natural mortality of Baltic herring (*Clupea harengus*) eggs caused by algal exudates. Mar. Biol. 94(2):163-170.
- Antonelis, G.A., Jr., C.H. Fiscus, and R.L. DeLong. 1984. Spring and summer prey of California sea lions, *Zalophus californianus*, at San Miguel Island, California, 1978-79. Fish. Bull., 82:67-76.
- Anthony, V.C. 1971. The density dependence of growth of the Atlantic herring in Maine. Rapp. P.V. Reun. Cons. Int. Explor. Mar 160:196-205.
- Anthony, V.C. and M.J. Fogarty. 1985. Environmental effects on recruitment, growth and vulnerability of Atlantic herring (*Clupea harengus harengus*) in the Gulf of Maine region. Can. J. Fish. Aquat. Sci. 42 (Suppl 1):158-173.

Arai, M.N. and D.E. Hay. 1982. Predation by medusae on Pacific herring (*Clupea harengus pallasi*) larvae. Can. J. Fish. Aquat. Sci 39:1537-1540.

Ashmole, N.P. 1971. Seabird Ecology and the Marine Environment.224-286. In: D.S. Farner and J.R. King (eds) Avian Biology. Academic Press, New York.

Bailey, S. 1985. California least tern foraging and other off-colony activities around Alameda Naval Air Station during 1985, Final Report. Calif. Acad. Sci., San Francisco, CA.

Barnhart, R.A. 1988. Species profiles: life histories and environmental requirements of coastal fishes and invertebrates (Pacific Southwest) - Pacific herring. U.S.Fish Wildl. Serv. Biol. Rep. 82(11.79). U.S. Army Corps of Engineers, TR EL-82-4. 14 pp.

Barton, L.H. 1978. Finfish resource surveys in Norton Sound and Kotzebue Sound. OCSEAP, Final Report (March 1976-September 1978), ADF&G, Comm. Fish. Div., Anchorage, September.

Barton, L.H. and V.G. Wespestad. 1980. Distribution, biology, and stock assessment of Western Alaska's herring stocks. In Melteff and Wespestad, 1980. Proceed. of the Alaska Herring Symposium. Alaska Sea Grant Rep 80-4:27-53.

Bay Conservation and Development Commission. 1988. Annual Report. San Francisco, CA.

Bayer, R.D. 1980. Birds feeding on herring eggs at the Yaquina Estuary, Oregon. Condor 82:193-198.

Beverton, R.J.H. 1985. Analysis of marine mammal fisheries interaction. In: Beddington, J., Beverton, R.J.H. and Lavigne, D.M. (eds.), Marine Mammals and Fisheries, pp. 3-33, George Allen and Unwin, London.

Blaxter, J.H.S. 1985. The herring: a successful species? Can. J. Fish. Aquat. Sci. 42 (Suppl. 1):21-30.

Blaxter, J.H.S. and F.G.T. Holliday. 1963. The behavior and physiology of herring and other clupeoids. Adv. Mar. Biol. 1:261-393.

Blaxter, J.H.S. and J.R. Hunter. 1982. The biology of the clupeoid fishes. Adv. Mar. Biol. 20:3-223.

Blaxter, J.H.S. and B.B. Parrish. 1965. The importance of light in shoaling, avoidance of nets and vertical migration by herring. J. Cons. 30(1):40-57.

Boehlert, G.W. and M.M. Yoklavich. 1984. Carbon assimilation as a function of ingestion rate in larval Pacific herring, *Clupea harengus pallasi* Valenciennes. J. Exp. Mar. Bio. Ecol. 79:251-262.

Boveng, P. 1988a. Status of Pacific harbor seal population on the U.S. west coast. NOAA-NMFS, S.W. Fisheries Center, Admin. Rpt. LJ-88-06.

Boveng, P. 1988b. Status of California sea lion population on the U.S. west coast. NOAA-NMFS, S.W. Fisheries Center, Admin. Rpt. LJ-88-07.

Brawm, V.M. 1960. Survival of herring (*Clupea harengus* L.) in waters of low salinity. J. Fish. Res. Bd. Can. 17:725-726.

Breder, C.M. 1976. Fish schools as operational structures. Fish. Bull. U.S. 74:471-502.

Burkett, E.E. 1995. Marbled murrelet food habits and prey ecology. In: Ecology and conservation of the Marbled murrelet. John, R.C., G.L. Hunt, Jr., M.G. Raphael, J.F. Piatt, Tech. Eds.; Gen. Tech. Rep. PSW-GTR-152. Albany, CA: Pacific Southwest Research Station, Forest Service, U.S. Department of Agriculture; 420 p.

California Department of Fish and Game. 1992. Revised Draft Environmental Document: Migratory Game Bird Hunting (water fowl, coots, moorhens, and common snipe). State of California, The Resources Agency, Department of Fish and Game.

Carlson, R.H. 1980. Seasonal distribution and environment of Pacific herring near Auke bay, Lynn Canal, Southeastern Alaska. Trans. Amer. Fish. Soc. 109:71-78.

Carlton, J.T., J.K. Thompson, L.E. Schemel, and F.H. Nichols. 1990. Remarkable invasion of San Francisco Bay (California USA) by the Asian clam *Potamocorbula amurensis*.I. Introduction and dispersal. Mar. Ecol. Prog. Ser. 66:81-94.

Chapman, W. 1936. The pilchard fishery of the state of Washington in 1936 with notes on the food of the silver and chinook salmon off the Washington coast. Wash. Dept. Fish., Biol. Rept. no. 36C, 30p.

Chapman, W.M., M. Katz, and D.W. Erickson. 1941. The races of herring in the state of Washington. Wash. Dept. of Fisheries. Biol. Rpt. No. 38A. 36 pp.

Chilton, D.E. and R.J. Beamish. 1982. Age Determination Methods for fishes studied by the Groundfish Program at the Pacific Biological Station. Can. Spec. Publ. Fish. Aquat. Sci. 60:102-p.

Chilton, D.E. and M. Stocker. 1987. A Comparison of Otolith and Scale Methods for Aging Pacific Herring. N. Am. J. Fish. Mgt. 7:202-206.

Cloern, J.E., A.E. Alpine, B.E. Cole, R.L. Wong, J.F. Arthur, and M.D. Ball. 1983. River discharge controls phytoplankton dynamics in the northern San Francisco Bay estuary. Estuarine, Coastal and Shelf Science 16:415-429.

Corten, A. 1985. The recruitment failure of herring in the central and northern North Sea in the

years 1974-78 and the mid-1970's hydrographic anomaly. Intern. Counc. Explor. Sea.Gen: 12 Mini Symposium.

Cushing, D.H. 1975. "Marine Ecology and Fisheries". Cambridge University Press.

Daan, N., A.D. Rijnsdorp, and G.R. VanOverbeeke. 1985. Predation by north sea herring, *Clupea harengus*, on eggs of plaice, *Pleuronectes platessa*, and cod, *Gadus morhua*. Trans. Amer. Fish. Soc. 114(4):499-506.

Day, D.E. 1987. Changes in the natural mortality rate of the S.E. Strait of Georgia sac roe herring spawning stock, 1976-1985. Wash. Dept. of Fisheries Tech. Rep. 98:1-34.

Dorfman, E.J. 1990. Distribution, behavior, and food habits of harbor porpoise (*Phocoena phocoena*) in Monterey Bay. MS Thesis, Moss Landing Marine Laboratories, San Jose State Univ.

Doubleday, W.G. 1985. Managing herring fisheries under uncertainty. Can. J. Fish. Aquat. Sci. 42 (Suppl. 1):245-257.

Eldridge, M.B. and W.M. Kaill. 1973. San Francisco Bay area's herring resource- a colorful past and a controversial future. Mar. Fish. Rev. 35(11):25-31.

Emmett, R.L., D.R. Miller, and T.H. Blahm. 1986. Food of juvenile chinook, *Oncorhynchus tshawytscha*, and coho, *O. kisutch*, salmon off the northern Oregon and southern Washington coasts, May-September 1980. Calif. Fish Game 72(1):38-46.

Employment Development Department. 1995. Labor Market Information Division.

Environmental Impact Statement. 1978. Environmental Impact Statement/Fishery Management Plan for the Atlantic Herring Fishery of the Northwest Atlantic. New England Fishery Management Council.

Eschmeyer, W.N., E.S. Herald, and H. Hamman. 1983. A field guide to Pacific coast fishes of North America from the Gulf of Alaska to Baja California. Houghton Mifflin, Boston. 336 pp.

Fossum, P. 1986. The duration of the first two yolk sac stages in herring (*Clupea harengus* L.) larvae. Fisker direktoratets Skrifter 18(2):77-82.

Fresh, K.L. 1983. Some aspects of the trophic ecology of Pacific herring in Puget Sound. In: Buchan, Kurt (ed.) Proceedings of the fourth Pacific coast herring workshop. Oct 7-8, 1981. Can. Man. Rep. Fish. Aquat. Sci. No. 1700:113-114.

Fresh, K.L., R.D. Cardwell, and R.R. Koons. 1981. Food habits of Pacific salmon, baitfish, and their potential competitors and predators in the marine waters of Washington, August 1978 to September 1979. Wash. Dept. of Fish., Prog. Rept. No. 145. 58 p.

Furness, R.W. and D.G. Ainley. 1984. Threats to Seabird presented by Commercial Fisheries. 701-708. In: J.P. Croxall, P.G. Evans, and R.W. Schreiber (eds). Status and Conservation of the World's Seabirds. Paston Press, Norwich, England.

Galkina, L.A. 1971. Survival of spawn of Pacific herring (*Clupea harengus pallasi* Val.) related to the abundance of the spawning stock. Rapp. P.V. Reun. Cons. Int. Explor. Mer 160:30-33.

Garrison, D.L. 1979. Monterey Bay phytoplankton I. Seasonal cycles of phytoplankton assemblages. J. Plankton Res. 1(3):241-265.

Gibson, R.N. and I.A. Ezzi. 1985. Effect of particle concentration on filter- and particulate-feeding in the herring *Clupea harengus*. Mar. Biol. 88:109-116.

Glantz, M.H. and J.D. Thompson, eds. 1981. Resource management and environmental uncertainty. Lessons from coastal upwelling fisheries. John Wiley & Sons, Inc., 491 pp.

Gonyea, G. and B. Trumble. 1983. Growth and mortality rates for Puget Sound herring. In: Buchanan, Kurt (ed.) Proceedings of the fourth Pacific coast herring workshop Oct. 7-8, 1981. Can. Man. Rep. Fish. Aquat. Sci. No 1700:133-139.

Graham, J.J. and D.W. Townsend. 1985. Mortality, growth, and transport of larval Atlantic herring, *Clupea harengus*, in Maine coastal waters. Trans. Amer. Fish. Soc. 114(4):490-498.

Grant, W.S. 1986. Biochemical genetic divergence between Atlantic, *Clupea harengus*, and Pacific, *C. pallasi*, herring. Copeia 3:714-719

Grass, A. 1973. Mew Gulls and Black Turnstones feeding on herring eggs. Murrelet 54(3):38-39.

Griffin, F.J., M.C. Pillai, C.A. Vines, J. Kaaria, T. Hibbard-Robbins, R. Yanagimachi, G.N. Cherr. 1998. Effects of Salinity on Sperm Motility, Fertilization, and Development in the Pacific Herring, *Clupea pallasi*. Biol. Bull. 194: 25-35.

Gulland, J.A. 1988. Fish Population Dynamics. Wiley, New York. 422 pp.

Haegele, C.W., R.D. Humphreys, and A.S. Hourston. 1981. Distribution of eggs by depth and vegetation type in Pacific herring (*Clupea harengus pallasi*) spawnings in southern British Columbia. Can. J. Fish. Aquat. Sci., Vol 38(4):381-386.

Haegele, C.W. and J.F. Schweigert. 1985. Distribution and characteristics of herring spawning grounds and discription of spawning behavior. Can. J. Fish. Aquat. Sci. 42 (Suppl.1):39-55.

Haist, V. and M. Stocker. 1985. Growth and maturation of Pacific herring (*Clupea harengus pallasi*) in the Strait of Georgia. Can. J. Fish. Aquat. Sci. 42 (Suppl. 1):138-146.

Harden Jones, F.R. 1968. "Fish Migration". Arnold, London.

Hardwick, J.E. 1973. Biomass estimates of spawning herring, *Clupea harengus pallasi*, herring eggs, and associated vegetation in Tomales Bay. Calif. Fish Game 59(1):36-61.

Harrison, P.G. 1982. Spatial and temporal patterns in abundance of two intertidal seagrasses, *Zostera americana* den Hartog and *Zostera marina* L. Aquat. Bot. 12(4):305-320.

Hart, J.L. 1973. Pacific fishes of Canada. Fish. Res. Board Can. Bull. 180, Ottawa. 740 pp.

Harvey, J.T. 1987. Population dynamics, annual food consumption, movements, and dive behaviors of harbor seals, *Phoca vitulina richardsi*, in Oregon. PhD Thesis, Oregon State University.

Hay, D.E. 1983. Role of larval survival in determination of year-class strength in Pacific herring. In: Buchanan, Kurt (ed). Proceeding of the fourth Pacific coast herring workshop, Oct 7-8, 1981. Can. Man. Rep. of Fish. Aquat. Sci. No. 1700 p116.

Hay, D.E. 1985. Reproductive biology of Pacific herring (*Clupea harengus pallasi*). Can. J. Fish. Aquat. Sci. 42 (Suppl. 1):111-126.

Hay, D.E. 1986. Effects of delayed spawning on viability of eggs and larvae of Pacific herring. Trans. Amer. Fish. Soc. 115(1):155-161.

Hay, D.E., Cooke, K.D. and Gissing, C.V. 1982. Gillnet dropout in the roe herring gillnet fishery in British Columbia. Can. Ind. Rep. Fish. Aquat. Sci., No. 131, 21 pp.

Hay, D.E. and D.C. Miller. 1982. A quantitative assessment of herring spawn lost by storm action in French Creek, 1980. Can. MS Rep. Fish. Aquat. Sci. 1636:1-9.

Healey, M.C. 1976. Herring in the diets of Pacific salmon in Georgia Strait. Fish. Res. Bd. Can. MS Rept. No. 1382. 38 p.

Heg, R. and J. Van Hyning. 1954. Food of the chinook and silver salmon taken off the Oregon coast. Oregon Fish. Comm. Res. Briefs, vol. 3, no. 2, p. 32-40.

Henderson, P.A. 1987. The vertical and transverse distribution of larval herring in the River Blackwater estuary, Essex. J. Fish Biology 31(1):281-290.

Henri, M., J.J. Dodson, and H. Powles. 1985. Spatial configuration of young herring (*Clupea harengus harengus*) larvae in the St. Lawrence estuary: importance of biological and physical factors. Can. J. Fish. Aquat. Sci. 42 (Suppl 1):91-104.

Herrgesell, P.L., R.G. Schaffter, and C.J. Larsen. 1983. Effects of freshwater outflow on San Francisco Bay biological resources. Interagency Ecol. Study Prog. for the Sacramento-San Joaquin Estuary. Tech. Rpt. No. 7:1-86.

Hickey, B.M. 1979. The California Current System-hypothesis andfact. Prog. Oceanog., 8:191-279.

Holzworth, G.C. 1972. Mixing heights, wind speeds, and potential for urban air pollution throughout the contiguous United States. U.S. Environmental Protection Agency, Research Triangle Park, NC.

Hourston, A.S. 1980. The biological aspects of management of Canada's west coast herring resource. In: Melteff and Wespestad (ed.) Proceedings of the Alaska herring symposium, Feb. 1980. Alaska Sea Grant Rep. 80-4:69-90.

_____. 1982. Homing by Canada's west coast herring to management units and divisions as indicated by tag recoveries. Can. J. Fish. Aquat. Sci. 39:1414-1422.

Hourston, A.S., H. Rosenthal, and S. Kerr. 1981. Capacity of juvenile Pacific herring (*Clupea harengus pallasi*) to feed on larvae of their own species. In: Canadian technical report of fisheries and aquatic sciences No. 1044. 9 pp.

Hymanson, Z. P. 1991. Results of a spatially intensive survey for (*Potamocorbula amurensis*) in the upper San Francisco Bay estuary. Interagency Ecological Studies Program for the Sacramento-San Joaquin Estuary. Tech. Rpt. 30, 21pp.

Iles, T.D. 1967. Growth studies of north sea herring, I. The second year's growth (I-group) of East Anglican herring, 1939-63. J. Cons. Reun. Int. Explor Mer 31(1):56-76.

Jangaard, P.M. 1972. Effects of elemental phosphorus on marine life. Fish. Res. Bd. Can. circ., 2.

Jones, B.C. 1972. Effect of intertidal exposure on survival and embryonic development of Pacific herring spawn. J. Fish. Res. Bd. Can. 29:1119-1124.

Jones, R.E. 1981. Food habits of smaller marine mammals from northern California. Proc. Calif. Acad. Sci. 42(16):409-433.

Jones, R. and W. Hall. 1974. Some observations on the population dynamics of the larval stage in the common gadoids. In: The Early Life History of the Fish (J.H.S. Blaxter ed.), pp. 87-102, Springer-Verlag, Berlin.

Kemp, W.M., R.R. Twilley, J.C. Stevenson, W.R. Boynton, and J.C. Means. 1983. The decline of submerged vascular plants in upper Chesapeake Bay: summary of results concerning possible causes. Mar. Tech. Sci. J. 17(2):78-89.

Kimmerer, W. J., E. Gartside, and J. J. Orsi. 1994. Predation of an introduced clam as the probable cause of substantial declines in copepods of San Francisco Bay. Mar. Ecol. Prog. Ser. 113:81-93.

Kiorboe, T. and P. Munk. 1986. Feeding and growth of larval herring, *Clupea harengus*, in relation to density of copepod nauplii. Environ. Biol. of Fishes 17(2):133-140.

Kiorboe, T., P. Munk, and J.G. Stottrup. 1985. First feeding by larval herring *Clupea harengus* L. Dana 5:95-107.

Kohlhorst, D.W., L. Botsford, J. Brennan, G.M. Cailliet. 1991. Aspects of the structure and dynamics of an exploited Central California population of white sturgeon (*Acipenser transmontanus*). In: *Acipenser: Actes du premier colloque national sur l'esturgeon*, Bordeaux, 3-6 Octobre, 1989 (P. Williot, ed.) CEMAGREF publ. p. 277-293.

Krone, R.B. 1966. Predicted suspended sediment inflows to the San Francisco Bay system. Report to Central Pacific RiverBasins Comprehensive Water Pollution Control Proj., Federal Water Pollution Control Proj., Federal Water Pollution Control Admin. (Southwest Region). 33 p.

Lambert, T.C. 1987. Duration and intensity of spawning in herring, *Clupea harengus*, as related to the age structure of the mature population. Mar. Ecol. 39(3):209-220.

Lasker, R. 1975. Field criteria for survival of anchovy larvae: the relation between inshore chlorophyll maximum layers and successful first feeding. U.S. Natl. Mar. Fish. Serv. Fish.Bull. 73:453-462.

Lasker, R. 1978. The relation between oceanographic conditions and larval anchovy food in the California current: identification of factors contributing to recruitmentfailure. Rapp. P.V. Reun. Cons. Int. Explor. Mer 178:375-388.

Lasker, R. 1985. What limits clupeoid production? Can. J. Fish. Aquat. Sci. 42 (Suppl 1):31-38.

Lasker, R. and A. MacCall. 1983. New ideas on the fluctuation of the clupeoid stocks off California. In: Proceedings of the Joint Oceanographic Assembly 1982, General Symposia, Dalhousie Univ., Halifax, Nova Scotia, Canada. pp110-120.

Levings, C.D. 1983. Some observations of juvenile herring at the Fraser River estuary, B.C. In: Buchanan, Kurt (ed.)Proceedings of the fourth Pacific coast herring workshop,Oct. 7-8, 1981. Can. Man. Rep. Fish. Aquat. Sci.No. 1700:91-103.

Lo, N.C. 1985. Egg production of the central stock of northern anchovy, *Engraulis mordax*, 1951-82. Fish. Bull. 83(2):137-150.

Lough, R.G., G.R. Bolz, M. Pennington, and M.D. Grosslein. 1985. Larval abundance and mortality of Atlantic herring (*Clupeaharengus* L.) spawned in the Georges Bank and Nantucket Shoals areas, 1971-78 Seasons, in relation to spawning stock size. J. Northw. Atl. Fish. Sci., Vol. 6:21-35.

MacCall, A.D. 1980. The consequences of cannibalism in the stock-recruitment relationship of planktivorous pelagic fishes such as *Engraulis*, p. 201-220. In: G. Sharp (ed.) Workshop on the

effects of environmental variation on the survival of larval pelagic fishes. UNESCO. Intergovernmental Oceanographic Commission. Workshop Report 28.

McGurk, M.D. 1984. Effects of delayed feeding and temperature on the age of irreversible starvation and on the rates of growth and mortality of Pacific herring larvae. Mar. Biol. 84(1):13-26.

McGurk, M.D. 1987. The Spatial patchiness of Pacific herring larvae. Environ. Biol. of Fishes 20(2):81-90.

McKechnie, R.J. and R.B. Fenner. 1971. Food habits of whitemargin, *Acipenser transmontanus*, in San Pablo and Suisun Bays, California. Calif. Fish Game 57(3):209-212.

McLain, D.R. and D.H. Thomas. 1983. Year-to-year fluctuations of the California countercurrent and effects on marine organisms. CalCOFI Rep. Vol. XXIV:165-181.

Marliave, J.B. 1980. Survival through metamorphosis of Pacific herring prevented from schooling. Trans. Amer. Fish. Soc. 109:327-328.

Merkel, T.J. 1957. Food habits of the king salmon, *Oncorhynchus tshawytscha* (Walbaum), in the vicinity of San Francisco, California. Calif. Fish Game 43(4):249-270.

Miller, D.J. and J. Schmidtke. 1956. Report on the distribution and abundance of Pacific herring (*Clupea pallasi*) along the coast of central and southern California. Calif. Fish Game 42:163-187.

Miller, D.J., M. Herder, and J. Scholl. 1983. California marine mammal fishery interaction study, 1979-81. NMFS SWFC Admin. Rpt. LJ-83-13C.

Minerals Management Service. 1990. California, Oregon, and Washington archaeological resource study. OCS Study MMS 90-0087. Vol I: Management Summary 50pp.

Moller, H. 1984. Reduction of a larval herring population by jellyfish predator. Science 224 (4649):621-622.

Mooers, C.N.K. and A.R. Robinson. 1984. Turbulent jets and eddies in the California current and inferred cross-shore transport. Science 223:51-53.

Moore, T.O, and P.N. Reilly. 1989. Pacific herring, *Clupea harengus pallasi*, experimental roe-on-kelp open pound fishery studies in San Francisco Bay, December 1987 to February 1988. CDFG Mar. Res. Div., Admin. Rpt. 89-3:1-27.

Morejohn, G.V., J.T. Harvey, and L.T. Krasnow. 1978. The importance of *Loligo opalescens* in the food web of marine vertebrates in Monterey Bay, California. In: Biological, oceanographic, and acoustic aspects of the market squid, *Loligo opalescens*, Berry. C.W. Recksiek and H.W. Frey, eds. CDFG Fish Bull. 169:1-185.

Moser, M. 1983. Parasites as biological tags for herring. In: Buchanan, Kurt (ed) Proceed of the fourth Pacific Coast herring workshop. Oct 7-8, 1981. Can. Man. Rep. Fish. Aquat. Sci. No 1700 pp 125-127.

Murphy, G.I. 1977. Clupeoids. In "Fish Population Dynamics" (J.A. Gulland, ed.), pp 283-308. John Wiley, London.

Nelson, W.R., M.C. Ingham, and W.E. Schaaf. 1977. Larval transport and year-class strength of Atlantic menhaden, *Brevoortia tyrannus*, U.S. Natl. Mar. Serv. Fish. Bull. 75:23-41.

Nichols, F.H. and J.K. Thompson. 1985. Persistence of an introduced mudflat community in south San Francisco Bay, California. Mar. Ecol. Prog. Ser. 24:83-97.

Nichols, F.H., J.K. Thompson, L.E. Schemel. 1990. Remarkable invasion of San Francisco Bay (California, USA) by the Asian clam *Potamocorbula amurensis*. II. Displacement of a former community. Mar. Ecol. Prog. Ser. 66:95-101.

Nielsen, L.A. and D.L. Johnson, eds. 1983. *Fisheries Techniques*. Bethesda, MD.: American Fisheries Society. 496pp.

Norton, D.W., S.E. Senner, R.E. Gill, P.D. Martin, J.M. Wright, and A.K. Fukuyama. 1990. American Birds 44(3):367-371.

Obreski, S. and J.W. Hedgpeth. 1984. California herring: the biology and management of central California herring stocks. Report to the Ocean Research Institute, San Francisco.

Oda, K.T. 1994. Pacific herring, *Clupea pallasi*, studies in San Francisco Bay, April 1990 to March 1992. CDFG Mar. Res.Div., Admin. Rpt. 94(2):38 p.

Oda, K.T. 1989. The Pacific herring, *Clupea harengus pallasi*, open pound roe-on-kelp experimental fishery in San Francisco Bay, 1988 to 1989. CDFG Mar. Res. Div., Admin Rpt. 89(7):1-18.

Oda, K.T. and F. Wendell. 1990. Pacific herring, *Clupea harengus pallasi*, studies in San Francisco and Tomales Bays, April 1989 to March 1990. CDFG Mar. Res. Div., Admin. Rpt. 90(14):1-55.

Oliphant, M.S., P.A. Gregory, B.J. Ingle, and R. Madrid. 1990. California marine fish landings for 1977-1986. Calif. Dept. Fish Game, Fish Bull., 173:1-52

Outram, D.N. 1958. The magnitude of herring spawn losses due to bird predation on the west coast of Vancouver Island. Fish. Res. Bd. Can. Pac. Prog. Rep. 111:9-13.

Outram, D.N. and R.D. Humphreys. 1974. The Pacific herring in British Columbia waters. Fish. Mar. Serv., Pac. Biol. Stn. Circ., 100:1-26.

Pacific Fishery Management Council. 1990. Review of 1989 Ocean Salmon Fisheries. Portland, Or.

Parrish, R.H., C.S. Nelson, and A. Bakun. 1981. Transport mechanisms and reproductive success of fish in the California Current. *Biol. Oceanogr.* 1:175-203.

Pearson, T.H. 1968. The feeding biology of seabird species breeding on the Farne Islands, Northumberland. *J. Anim. Ecol.* 37, 521-552.

Perrins, C.M., J.D. Lebreton, and G.J.M. Hirons. 1991. Bird Population Studies: Relevance to Conservation and Management. Oxford Univ. Press, Oxford.

Phillips, R.E., D.I. Gutoff, J.E. Hansen, and J.E. Hardwick. 1986. Distribution of major marine macrophyte season estimates of *Gracilaria* standing crop, and spawning activities of the Pacific herring, *Clupea harengus pallasii*, in Elkhorn Slough, California; 1979-1982. *Calif. Fish Game* 72(4):232-243.

Picquelle, S.J. and R.P. Hewitt. 1983. The northern anchovy spawning biomass for the 1982-83 California fishing season. *Calif. Coop. Oceanic Fish. Invest. Rep.* 24:16-28.

Pope, J.G. 1972. An investigation of the accuracy of virtual population analysis using cohort analysis. *Int. Comm. Northwest Atl. Fish., Res. Bull.* 9:65-74.

Pritchard, A.L. and A.L. Tester. 1944. Food of spring and coho salmon in British Columbia. *Fish. Res. Bd. Can. Bull.* 65:1-23.

Prokhorov, V.G. 1968. Winter period of life of herring in the Bering Sea. *Proceedings of the Pacific Scientific Research Institute of Fisheries and Oceanography* 64:329-338. In Russian. Transl. 1970, *Fish. Res. Board Can.*, Transl. Ser. 1433).

Purcell, J.E. and J.J. Grover. 1990. Predation and food limitation as causes of mortality in larval herring at a spawning ground in British Columbia. *Mar. Ecol. Prog. Ser.* 59:55-61.

Purcell, J.E., T.D. Siferd, and J.B. Marliave. 1987. Vulnerability of larval herring (*Clupea harengus pallasii*) to capture by the jellyfish *Aequorea victoria*. *Mar. Biol.* 94(2):157-162.

Rabin, D.J. and R.A. Barnhart. 1977. Fecundity of Pacific herring, *Clupea harengus pallasii*, in Humboldt Bay. *Calif. Fish Game* 63(3):193-196.

Rabin, D.J. and R.A. Barnhart. 1986. Population characteristics of Pacific herring, *Clupea harengus pallasii*, in Humboldt Bay, California. *Calif. Fish Game* 72(1):4-16.

Reilly, P.N. 1988. Growth of young-of-the-year and juvenile Pacific herring from San Francisco Bay, California. *Calif. Fish Game* 74(1):38-48.

Reilly, P.N. and T.O. Moore. 1983. Pacific herring, *Clupea harengus pallasi*, studies in San Francisco Bay, Monterey Bay, and the Gulf of the Farallones, July 1982 to March 1983. CDFG Mar. Res. Div., Admin. Rpt. 83-5:1-49.

Reilly, P.N. and T.O. Moore. 1984. Pacific herring, *Clupea harengus pallasi*, studies in San Francisco Bay, Monterey Bay, and the Gulf of the Farallones, May 1983 to March 1984. CDFG Mar. Res. Div., Admin. Rpt. 84-3:1-67.

Reilly, P.N. and T.O. Moore. 1986. Pacific herring, *Clupea harengus pallasi*, studies in San Francisco Bay, central and northern California, and Washington, March 1985 to May 1986. CDFG Mar. Res. Div., Admin. Rpt. 86-6:1-88.

Reilly, P.N. and T.O. Moore. 1987. Pacific herring, *Clupea harengus pallasi*, studies in San Francisco Bay, April 1986 to March 1987. CDFG Mar. Res. Div., Admin. Rpt. 87-15:1-73.

Reilly, P.N., K. Oda, and F. Wendell. 1989. Pacific herring, *Clupea harengus pallasi*, studies in San Francisco and Tomales Bays, April 1988 to March 1989. CDFG Mar. Res. Div., Admin. Rpt. 89-4:1-62.

Rexstad, E.A., and E.K. Pikitch. 1986. Stomach contents and food consumption estimates of Pacific hake, *Merluccius productus*. Fish. Bull. U. S. 84:947-956.

Ricker, W.E. 1975. Computation and interpretation of biological statistics of fish populations. Fish. Res. Bd. Can. Bull. 191:1-382.

Robins, C.R., R.M. Bailey, C.E. Bond, J.R. Brooker, E.A. Lachner, R.N. Lea, and W.B. Scott. 1991. Common and Scientific Names of Fishes from the United States and Canada. 5th edition. American Fisheries Society, Spec. Pub. 20. 183 pp.

Rosenthal, R.J., V. Moran-O'Connell, and M.C. Murphy. 1988. Feeding ecology of ten species of rockfish (Scorpaenidae) from the Gulf of Alaska. Calif. Fish Game 74(1):16-37.

Rounsefell, G.A. 1930. Contribution to the biology of the Pacific herring *Clupea pallasii*, and the condition of the fishery in Alaska. Bull. U.S. Bur. Fish. 45, 263-91.

Schweigert, J.F. and M. Stocker. 1988. Escapement model for estimating Pacific herring stock size from spawn survey data and its management implications. North Amer. Jour. Fish. Management 8(1):63-74.

Scofield, N.B. 1918. The herring and the development of the herring industry in California. Calif. Fish Game, 4(2):65-70.

Scofield, W.L. 1952. The Tomales Bay herring fishery. Calif. Fish Game 38(4):499-504.

Silliman, R.P. 1941. fluctuations in the diet of the chinook and silver salmons (*Oncorhynchus tshawytscha* and *O. kisutch*) off Washington, as related to the troll catch of salmon. Copeia

2:80-87.

Sissenwine, M.P., E.B. Cohen, and M.D. Grosslein. 1984. Structure of the Georges Bank ecosystem. Rapp. P.V. Reun. Cons. Int. Explor. Mer 183:243-254.

Soutar, A. and J.D. Isaacs. 1974. Abundance of pelagic fish during the 19th and 20th centuries as recorded in anaerobic sediments of the Californias. U.S. Natl. Mar. Fish. Serv. Bull. 72:257-273.

Spratt, J.D. 1981. Status of the Pacific Herring, *Clupea harengus pallasii*, Resource in California 1972 to 1980. Calif. Dept. Fish and Game Fish Bull. 171:1-107.

Spratt, J.D. 1983. Biomass estimates of Pacific herring, *Clupea harengus pallasii*, in California from the 1982-83 spawning-ground surveys. CDFG Mar. Res. Div., Admin. Rpt. 83(3):1-23.

Spratt, J.D. 1987. Variation in the growth rate of Pacific herring from San Francisco Bay, California. Calif. Fish and Game 73(3):132-138.

Spratt, J.D. 1990. Biological Characteristics of the Gill Net Catch from the 1989-90 Pacific Herring, *Clupea pallasii*, RoeFishery in California. CDFG Mar. Res. Admin. Rpt. 90-12:1-16.

Spratt, J.D. 1991. Biomass estimates of Pacific herring (*Clupea pallasii*) in California from the 1990-91 spawning-ground surveys. Calif. Fish and Game, Mar. Res. Admin. Rept. 91(4):1-41.

Spratt, J.D. and T.O. Moore. 1992. Biological Characteristics of the gillnet catch from the 1991-92 Pacific herring, *Clupea pallasii*, roe fishery in California. CA Dept. Fish & Game Mar. Res. Admin. Rpt. 92(4):22pp.

Stacy, N.E. and A.S. Hourston. 1982. Spawning and feeding behavior of captive Pacific herring, *Clupea harengus pallasii*. Can. J. Fish. Aquat. Sci. 39(3):489-498.

State Water Resources Control Board. 1989. Pollutant Policy Document, San Francisco Bay/Sacramento-San Joaquin Delta Estuary.

Stevenson, J.C. 1962. Distribution and survival of herring larvae (*Clupea pallasii* Valenciennes) in British Columbia waters. J. Fish. Res. Board. Can. 19:735-789.

Stocker, M., V. Haist, and D. Fournier. 1985. Environmental variation and recruitment of Pacific herring (*Clupea harengus pallasii*) in the Strait of Georgia. Can. J. Fish. Aquat. Sci. 42 (Suppl. 1):174-180.

Suryan, R.M. and K.L. Raum-Suryan. 1990. Analysis of scat to determine prey consumption of harbor seals (*Phoca vitulina richardsi*) inhabiting Elkhorn Slough, Moss Landing, California: a comparison of studies conducted in 1975-1977 and September-October 1990. Unpublished MS, Moss Landing Marine Laboratory, CA.

Tanasichuk, R.W. and D.M. Ware. 1987. Influence of interannual variation on fecundity and egg size in Pacific herring (*Clupea harengus pallasi*). Can. J. Fish. Aquat. Sci. 44(8):1485-1495.

Taylor, F.H.C. 1964. Life history and present status of British Columbia herring stocks. Bull. Fish. Res. Bd. Can. 143:1-81.

_____. 1971. Variation in hatching success in Pacific herring (*Clupea pallassii*) eggs with water depth, temperature, salinity, and egg mass thickness. Rapp. P.V.Reun. Cons. Int. Explor. Mer 160:34-41.

Trumble, R.J. and R.D. Humphreys. 1985. Management of Pacific herring (*Clupea harengus pallasi*) in the eastern Pacific ocean. Can. J. Fish. Aquat. Sci. 42 (Suppl. 1):230-244.

U.S. EPA. 1985. Compilation of air pollutant emission factors, Vol. II Mobile Sources. AP-42. Ann Arbor, MI.

U.S. EPA. 1989. Alameda, Contra Costa, Napa, San Francisco, San Mateo, Solano and Sonoma Counties emissions inventories. U.S. Environmental Protection Agency Region IX, National Emission Data System, San Francisco CA.

U.S. Navy. 1988. Environmental assessment. Breakwater gap modifications: Naval Air Station Alameda, California. U.S. Navy, Western Division, Naval Facilities Engineering Command, San Bruno, CA.

U.S. Navy. 1990. Final Environmental Impact Statement for proposed new dredging. U.S. Navy Military Construction Project: P-202 Naval Air Station Alameda, San Francisco CA.

Wales, W. 1984. Photic behavior and vertical migration in herring larvae. Mar. Behav. and Phys. 11(2):1-139.

Walters, C., M. Stocker, A.V. Tyler, and S.J. Westrheim. 1986. Interactions between Pacific cod (*Gadus macrocephalus*) and herring (*Clupea harengus pallasi*) in the Hecate Strait, British Columbia. Inter. North Pacific Fish. Comm. Bull. 47:87-100.

Ware, D.M. and G.A. McFarlane. 1986. Relative impact of Pacific hake, sablefish and Pacific cod on west coast of Vancouver Island herring stocks. Internat. North Pacific Fisheries Comm. Bull. 47:67-78.

Ware, D.M. and R. Tanasichuk. 1988. Herring distribution and recruitment. In: La Perouse Project: Third Annual Progress Report, 1987. Dept. Fisheries and Oceans, Nanaimo, B.C. 34-35.

Ware, D.M. and R. Tanasichuk. 1989. Biological basis of maturation and spawning waves in Pacific herring (*Clupea harengus pallasi*). Can. J. Fish. Aquat. Sci. 46:1776-1784.

White, A.W. 1980. Reoccurrence of kills of Atlantic herring (*Clupea harengus harengus*) caused

by dinoglagellate toxins transferred through herbivorous zooplankton. Can. J. Fish. Aquat. Sci. 37:2262-2265.

Zimmerman, R.C., J.R. Reguzzoni, S. Wyllie-Echeverria, M. Josselyn, and R.S. Alberte. 1991. Assessment of environmental suitability for growth of *Zostera marina* L. (eelgrass) in San Francisco Bay. Aquat. Bot. 39:353-366.

NOTE: These documents are generally available in university libraries. Documents prepared by governmental agencies can be obtained through those agencies.